

Note: The default Mailer ID Profile of ASR Opt2 is the assumed Mailer ID Profile for each of these charts.

Traditional ACS Service Type IDs for BASIC / NONAUTO Mail (without IMb Tracing)					
		January 27, 2013 PO! Release with Traditional ACS STIDs	March 1 – June 30, 2013 Pre-Beta and Beta Testing, Release begins May 27 th	July 1, 2013 All Sites are updated with the New Software. All MIDs “turned on” for ACS	
ACS Participant Code Profile is:	If the IMb contains:	The ACS type created will be:	The ACS type created will be:		The ACS type created will be:
First-Class Mail ASR Opt 1 (ESR or ASR or no printed endorsement)	STID 501 & any MID	Trad ACS – ASR Opt1	Trad ACS – ASR Opt1		Trad ACS – ASR Opt1
	STID 080 & MID “turned off” for IMb ACS	Trad ACS – ASR Opt1	Trad ACS ASR Opt1	Test Sites: OneCode ACS ASR Opt2 * for MID in IMb	OneCode ACS - ASR Opt2 * for MID in IMb
First-Class Mail ASR Opt 2 (ESR or ASR or no printed endorsement)	STID 507 & any MID	Trad ACS – ASR Opt2	Trad ACS – ASR Opt2		Trad ACS – ASR Opt2
	STID 080 & MID “turned off” for IMb ACS	Trad ACS – ASR Opt2	Trad ACS ASR Opt2	Test Sites: OneCode ACS ASR Opt2 * for MID in IMb	OneCode ACS - ASR Opt2 * for MID in IMb
First-Class Mail CSR Opt 1 (ESR or CSR or no printed endorsement)	STID 517 & any MID	Trad ACS – CSR Opt1	Trad ACS – CSR Opt1		Trad ACS – CSR Opt1
	STID 082 & MID “turned off” for IMb ACS	Trad ACS – CSR Opt1	Trad ACS CSR Opt1	Test Sites: OneCode ACS CSR Opt1 for MID in IMb	OneCode ACS – CSR Opt1 for MID in IMb
First-Class Mail CSR Opt 2 (ESR or CSR or no printed endorsement)	STID 510 & any MID	Trad ACS – CSR Opt2	Trad ACS – CSR Opt2		Trad ACS – CSR Opt2
	STID 082 & MID “turned off” for IMb ACS	Trad ACS – CSR Opt2	Trad ACS CSR Opt2	Test Sites: OneCode ACS CSR Opt1 for MID in IMb	OneCode ACS – CSR Opt1 for MID in IMb
Periodical	STID 600 & any MID	Trad ACS	Trad ACS		Trad ACS
	STID 784 & MID “turned off” for IMb ACS	Trad ACS	Trad ACS	Test Sites: OneCode ACS for MID in IMb	OneCode ACS for MID in IMb
Periodical with printed ASR	(STID provided only upon request. Contact the ACS Department at ACS@usps.gov)				
STD Mail ASR (ESR or ASR printed endorsement)	STID 540 & any MID	Trad ACS – ASR	Trad ACS – ASR		Trad ACS – ASR
	STID 090 & MID “turned off” for IMb ACS	Trad ACS – ASR	Trad ACS ASR	Test Sites: OneCode ACS ASR for MID in IMb	OneCode ACS – ASR for MID in IMb
STD Mail CSR (ESR or CSR printed endorsement)	STID 560 & any MID	Trad ACS – ASR	Trad ACS – ASR		Trad ACS – ASR
	STID 092 & MID “turned off” for IMb ACS	Trad ACS – ASR	Trad ACS ASR	Test Sites: OneCode ACS ASR for MID in IMb	OneCode ACS – ASR for MID in IMb
Bound Printed Matter ASR	STID 603 & any MID	Trad ACS – ASR	Trad ACS – ASR		Trad ACS – ASR
	STID 424 & MID “turned off” for IMb ACS	Trad ACS – ASR	Trad ACS ASR	Test Sites: OneCode ACS ASR for MID in IMb	OneCode ACS – ASR for MID in IMb
Bound Printed Matter CSR	STID 613 & any MID	Trad ACS – ASR	Trad ACS – ASR		Trad ACS – ASR
	STID 431 & MID “turned off” for IMb ACS	Trad ACS – ASR	Trad ACS ASR	Test Sites: OneCode ACS ASR for MID in IMb	OneCode ACS – ASR for MID in IMb

* A Mailer ID that was issued by PostalOne! and the Business Customer Gateway has a “default profile” of ASR Opt2 for First-Class Mail. This Mailer ID profile is compatible to ASR Opt2 or CSR Opt1 for FCM and ASR or CSR for STD Mail and BPM. If you are unsure of the profile for the MID used in the IMb on this mail, contact the ACS Department at ACS@usps.gov.

Traditional ACS Service Type IDs for BASIC / NONAUTO Mail with IMb Tracing

NOTE: IMb Tracing will be provided for ALL STIDS indicated in this table		<u>January 27, 2013</u> PO! Release with Traditional ACS STIDs	<u>March 1 – June 30, 2013</u> Pre-Beta and Beta Testing, Release begins May 27 th	<u>July 1, 2013</u> All Sites are updated with the New Software. All MIDs “turned on” for ACS
ACS Participant Code Profile is:	If the IMb contains:	The ACS type created will be:	The ACS type created will be:	The ACS type created will be:
First-Class Mail ASR Opt 1 (ESR or ASR or no printed endorsement)	STID 500 & any MID	Trad ACS – ASR Opt1	Trad ACS – ASR Opt1	Trad ACS – ASR Opt1
	STID 140 & MID “turned off” for IMb ACS	Trad ACS – ASR Opt1	Trad ACS ASR Opt1 Test Sites: OneCode ACS ASR Opt2 * for MID in IMb	OneCode ACS - ASR Opt2 * for MID in IMb
First-Class Mail ASR Opt 2 (ESR or ASR or no printed endorsement)	STID 506 & any MID	Trad ACS – ASR Opt2	Trad ACS – ASR Opt2	Trad ACS – ASR Opt2
	STID 140 & MID “turned off” for IMb ACS	Trad ACS – ASR Opt2	Trad ACS ASR Opt2 Test Sites: OneCode ACS ASR Opt2 * for MID in IMb	OneCode ACS - ASR Opt2 * for MID in IMb
First-Class Mail CSR Opt 1 (ESR or CSR or no printed endorsement)	STID 515 & any MID	Trad ACS – CSR Opt1	Trad ACS – CSR Opt1	Trad ACS – CSR Opt1
	STID 240 & MID “turned off” for IMb ACS	Trad ACS – CSR Opt1	Trad ACS CSR Opt1 Test Sites: OneCode ACS CSR Opt1 for MID in IMb	OneCode ACS – CSR Opt1 for MID in IMb
First-Class Mail CSR Opt 2 (ESR or CSR or no printed endorsement)	STID 530 & any MID	Trad ACS – CSR Opt2	Trad ACS – CSR Opt2	Trad ACS – CSR Opt2
	STID 240 & MID “turned off” for IMb ACS	Trad ACS – CSR Opt2	Trad ACS CSR Opt2 Test Sites: OneCode ACS CSR Opt1 for MID in IMb	OneCode ACS – CSR Opt1 for MID in IMb
Periodical	STID 599 & any MID	Trad ACS	Trad ACS	Trad ACS
	STID 244 & MID “turned off” for IMb ACS	Trad ACS	Trad ACS Test Sites: OneCode ACS for MID in IMb	OneCode ACS for MID in IMb
Periodical with printed ASR	(STID provided only upon request. Contact the ACS Department at ACS@usps.gov)			
STD Mail ASR (ESR or ASR printed endorsement)	STID 539 & any MID	Trad ACS – ASR	Trad ACS – ASR	Trad ACS – ASR
	STID 142 & MID “turned off” for IMb ACS	Trad ACS – ASR	Trad ACS ASR Test Sites: OneCode ACS ASR for MID in IMb	OneCode ACS – ASR for MID in IMb
STD Mail CSR (ESR or CSR printed endorsement)	STID 559 & any MID	Trad ACS – ASR	Trad ACS – ASR	Trad ACS – ASR
	STID 242 & MID “turned off” for IMb ACS	Trad ACS – ASR	Trad ACS ASR Test Sites: OneCode ACS ASR for MID in IMb	OneCode ACS – ASR for MID in IMb

* A Mailer ID that was issued by PostalOne! and the Business Customer Gateway has a “default profile” of ASR Opt2 for First-Class Mail. This Mailer ID profile is compatible to ASR Opt2 or CSR Opt1 for FCM and ASR or CSR for STD Mail and BPM. If you are unsure of the profile for the MID used in the IMb on this mail, contact the ACS Department at ACS@usps.gov.

IMPORTANT: Use of the new STIDs prior to 1/27/2013 will disqualify your mail for Full Service discounts

Traditional ACS Service Type IDs for FULL-SERVICE Mail (without IMb Tracing)					
		January 27, 2013 PO! Release with Traditional ACS STIDs	March 1 – June 30, 2013 Pre-Beta and Beta Testing, Release begins May 27 th	July 1, 2013 All Sites are updated with the New Software. All MID's "turned on" for ACS	
ACS Participant Code Profile is:	If the IMb contains:	The ACS type created will be:	The ACS type created will be:		The ACS type created will be:
First-Class Mail ASR Opt 1 (ESR or ASR or no printed endorsement)	STID 505 & any MID	Trad ACS – ASR Opt1	Trad ACS – ASR Opt1		Trad ACS – ASR Opt1
	STID 081 & MID "turned off" for IMb ACS	Trad ACS – ASR Opt1	Trad ACS ASR Opt1	Test Sites: Full Svc ACS ASR Opt2 * for MID in IMb	Full Svc ACS - ASR Opt2 * for MID in IMb
First-Class Mail ASR Opt 2 (ESR or ASR or no printed endorsement)	STID 509 & any MID	Trad ACS – ASR Opt2	Trad ACS – ASR Opt2		Trad ACS – ASR Opt2
	STID 081 & MID "turned off" for IMb ACS	Trad ACS – ASR Opt2	Trad ACS ASR Opt2	Test Sites: Full Svc ACS ASR Opt2 * for MID in IMb	Full Svc ACS - ASR Opt2 * for MID in IMb
First-Class Mail CSR Opt 1 (ESR or CSR or no printed endorsement)	STID 521 & any MID	Trad ACS – CSR Opt1	Trad ACS – CSR Opt1		Trad ACS – CSR Opt1
	STID 083 & MID "turned off" for IMb ACS	Trad ACS – CSR Opt1	Trad ACS CSR Opt1	Test Sites: Full Svc ACS CSR Opt1 for MID in IMb	Full Svc ACS – CSR Opt1 for MID in IMb
First-Class Mail CSR Opt 2 (ESR or CSR or no printed endorsement)	STID 512 & any MID	Trad ACS – CSR Opt2	Trad ACS – CSR Opt2		Trad ACS – CSR Opt2
	STID 083 & MID "turned off" for IMb ACS	Trad ACS – CSR Opt2	Trad ACS CSR Opt2	Test Sites: Full Svc ACS CSR Opt1 for MID in IMb	Full Svc ACS – CSR Opt1 for MID in IMb
Periodical	STID 602 & any MID	Trad ACS	Trad ACS		Trad ACS
	STID 038 & MID "turned off" for IMb ACS	Trad ACS	Trad ACS	Test Sites: Full Svc ACS for MID in IMb	Full Svc ACS for MID in IMb
Periodical with printed ASR	(STID provided only upon request. Contact the ACS Department at ACS@usps.gov)				
STD Mail ASR (ESR or ASR printed endorsement)	STID 542 & any MID	Trad ACS – ASR	Trad ACS – ASR		Trad ACS – ASR
	STID 091 & MID "turned off" for IMb ACS	Trad ACS – ASR	Trad ACS ASR	Test Sites: Full Svc ACS ASR for MID in IMb	Full Svc ACS – ASR for MID in IMb
STD Mail CSR (ESR or CSR printed endorsement)	STID 562 & any MID	Trad ACS – ASR	Trad ACS – ASR		Trad ACS – ASR
	STID 093 & MID "turned off" for IMb ACS	Trad ACS – ASR	Trad ACS ASR	Test Sites: Full Svc ACS ASR for MID in IMb	Full Svc ACS – ASR for MID in IMb
Bound Printed Matter ASR	STID 604 & any MID	Trad ACS – ASR	Trad ACS – ASR		Trad ACS – ASR
	STID 423 & MID "turned off" for IMb ACS	Trad ACS – ASR	Trad ACS ASR	Test Sites: Full Svc ACS ASR for MID in IMb	Full Svc ACS – ASR for MID in IMb
Bound Printed Matter CSR	STID 614 & any MID	Trad ACS – ASR	Trad ACS – ASR		Trad ACS – ASR
	STID 430 & MID "turned off" for IMb ACS	Trad ACS – ASR	Trad ACS ASR	Test Sites: Full Svc ACS ASR for MID in IMb	Full Svc ACS – ASR for MID in IMb

* A Mailer ID that was issued by PostalOne! and the Business Customer Gateway has a "default profile" of ASR Opt2 for First-Class Mail. This Mailer ID profile is compatible to ASR Opt2 or CSR Opt1 for FCM and ASR or CSR for STD Mail and BPM. If you are unsure of the profile for the MID used in the IMb on this mail, contact the ACS Department at ACS@usps.gov.

IMPORTANT: Use of the new STIDs prior to 1/27/2013 will disqualify your mail for Full Service discounts

Traditional ACS Service Type IDs for FULL-SERVICE Mail with IMb Tracing

NOTE: IMb Tracing will be provided for ALL STIDs indicated in this table		January 27, 2013 PO! Release with Traditional ACS STIDs	March 1 – June 30, 2013 Pre-Beta and Beta Testing, Release begins May 27 th		July 1, 2013 All Sites are updated with the New Software. All MIDs “turned on” for ACS
ACS Participant Code Profile is:	If the IMb contains:	The ACS type created will be:	The ACS type created will be:		The ACS type created will be:
First-Class Mail ASR Opt 1 (ESR or ASR or no printed endorsement)	STID 503 & any MID	Trad ACS – ASR Opt1	Trad ACS – ASR Opt1		Trad ACS – ASR Opt1
	STID 141 & MID “turned off” for IMb ACS	Trad ACS – ASR Opt1	Trad ACS ASR Opt1	Test Sites: Full Svc ACS ASR Opt2* for MID in IMb	Full Svc ACS - ASR Opt2* for MID in IMb
First-Class Mail ASR Opt 2 (ESR or ASR or no printed endorsement)	STID 508 & any MID	Trad ACS – ASR Opt2	Trad ACS – ASR Opt2		Trad ACS – ASR Opt2
	STID 141 & MID “turned off” for IMb ACS	Trad ACS – ASR Opt2	Trad ACS ASR Opt2	Test Sites: Full Svc ACS ASR Opt2* for MID in IMb	Full Svc ACS - ASR Opt2* for MID in IMb
First-Class Mail CSR Opt 1 (ESR or CSR or no printed endorsement)	STID 519 & any MID	Trad ACS – CSR Opt1	Trad ACS – CSR Opt1		Trad ACS – CSR Opt1
	STID 241 & MID “turned off” for IMb ACS	Trad ACS – CSR Opt1	Trad ACS CSR Opt1	Test Sites: Full Svc ACS CSR Opt1 for MID in IMb	Full Svc ACS – CSR Opt1 for MID in IMb
First-Class Mail CSR Opt 2 (ESR or CSR or no printed endorsement)	STID 511 & any MID	Trad ACS – CSR Opt2	Trad ACS – CSR Opt2		Trad ACS – CSR Opt2
	STID 241 & MID “turned off” for IMb ACS	Trad ACS – CSR Opt2	Trad ACS CSR Opt2	Test Sites: Full Svc ACS CSR Opt1 for MID in IMb	Full Svc ACS – CSR Opt1 for MID in IMb
Periodical	STID 601 & any MID	Trad ACS	Trad ACS		Trad ACS
	STID 045 & MID “turned off” for IMb ACS	Trad ACS	Trad ACS	Test Sites: Full Svc ACS for MID in IMb	Full Svc ACS for MID in IMb
Periodical with printed ASR	(STID provided only upon request. Contact the ACS Department at ACS@usps.gov)				
STD Mail ASR (ESR or ASR printed endorsement)	STID 541 & any MID	Trad ACS – ASR	Trad ACS – ASR		Trad ACS – ASR
	STID 143 & MID “turned off” for IMb ACS	Trad ACS – ASR	Trad ACS ASR	Test Sites: Full Svc ACS ASR for MID in IMb	Full Svc ACS – ASR for MID in IMb
STD Mail CSR (ESR or CSR printed endorsement)	STID 561 & any MID	Trad ACS – ASR	Trad ACS – ASR		Trad ACS – ASR
	STID 243 & MID “turned off” for IMb ACS	Trad ACS – ASR	Trad ACS ASR	Test Sites: Full Svc ACS ASR for MID in IMb	Full Svc ACS – ASR for MID in IMb

* A Mailer ID that was issued by PostalOne! and the Business Customer Gateway has a “default profile” of ASR Opt2 for First-Class Mail. This Mailer ID profile is compatible to ASR Opt2 or CSR Opt1 for FCM and ASR or CSR for STD Mail and BPM. If you are unsure of the profile for the MID used in the IMb on this mail, contact the ACS Department at ACS@usps.gov.

