

Universal File Format (UFF)

HEADER RECORD FILE

BMA Certification Universal Header Record						
Field Sequence Number	Field Description	Logical Length	Relative From	Position Thru	Sample Data	
1	Copyright Symbol	7	1	7	(C) USPS	P,M,B
2	Filler	1	8	8		
3	Test File Creation Year/Month/Day	8	9	16	19980301	P,M,B
4	Filler	1	17	17		
5	AMS II Epoch (YYMM)	4	18	21	0309	P,M,B
6	Filler	1	22	22		
7	Total Number of Records in Deck	7	23	29	32477	P,M,B
8	Filler	10	30	39		
9	I.D. Key (Standard Testing Set)	3	40	42	AB_	P,M,B
10	I.D. Key (Cycle/Test Number)	4	43	46	F104	P,M,B
11	Filler	1	47	47		
12	Test File Creation Time	11	48	58	11:27:13.13	P,M,B
13	Filler	3	59	61		
14	Entry State and County Number	5	62	66	TN055	P
15	Filler	1	67	67		
16	Piece Weight (99v9999)	6	68	73	006250	P
17	Filler	1	74	74		
18	Piece Length(999v9999)	7	75	81	0103750	P
19	Filler	1	82	82		
20	Piece Height(99v9999)	6	83	88	061875	P
21	Filler	1	89	89		
22	Piece Thickness (99V9999)	6	90	95	000425	P
23	Filler	1	96	96		
24	Default Entry Point Zip Code	5	97	101	44104	P,M, B
25	Filler	35	101	136		
26	Year/Month/Day Developer Processed File	8	137	144	19980309 (yyyymmdd)	P,M,B
27	Filler	1	145	145		
28	Advertising Percentage (99V99)	4	146	149	7125	P
29	Filler	1	150	150		
30	Container Compression Factor (9v999)	4	151	154	1055	P,B
31	Filler	1	155	155		
32	AMSII Epoch Used to Process File (YYMM)	4	156	159	0309	P,M,B
33	Filler	1	160	160		
34	5-digit Package Minimum Qty (99)	2	161	162	17	P
35	Filler	1	163	163		
36	Tray Minimum (9v999)	4	164	167	0855=85.5%; 1000=100%	P,B
37	Filler	1	168	168		
38	PAVE Use Only	20	169	188		
39	Filler	303	189	491		
40	Presorted Sequence Number	7	492	498	0000000	P,M,B
41	Carriage Return/Line Feed	2	499	500		

Data Element Definitions: Header Record – Provided by BMA CERTIFICATION
--

Copyright Header Record - The first record in each presort scenario file is a copyright record. The BMA Certification Department, upon file creation, supplies fields 1 through 25. If Gold certification for a product is desired, the developer populates fields 26 through 41 before the electronic test file is returned to the NCSC.

This file should be returned in the order in which the software has presorted it.

The Copyright Header Record **must** be returned as the first record in the file or the electronic grading module will not be able to grade the file successfully. Send only the electronic file(s) and a copy of the test Cover Sheet or the Job Setup Parameter report (see pages 12-13). The BMA CERTIFICATION Department will alert the developer if additional hard copy documentation for an electronic file submission is necessary or required.

Note: The appended test files must be named as specified in the “Naming of Files” section of this technical guide, (see page 9).

If the developer is attempting Standard certification for a product, the test file is processed and all applicable hard copy facsimiles, reports, and documentation are sent to the NCSC (see “Required Hard Copy Output,” page 12). The record’s components are illustrated on Page 17.

Data Element Definitions: Header Record - Provided by Developer
--

FIELD 26 - YEAR, MONTH, AND DAY DEVELOPER PROCESSED FILE -This field contains the latest date that you processed the test with your software.

COBOL Picture: 9(08) — Year 9(04), Month 9(02), Day 9(02)

Possible Values: Numeric, right justified

Examples: 19970823 19971225 19980624

Comments: The format of this field will be a 4-digit year, followed by a 2-digit month, followed by a 2-digit day (i.e., YYYYMMDD).

FIELD 28 - ADVERTISING PERCENTAGE -This field contains the percentage of advertising in each piece. **(Periodicals only. For all other classes, leave blank.)**

COBOL Picture: 99v99

Possible Values: Numeric, right justified

Examples: 0650 1023 0000

Comments: The first two digits of this field represent whole percentage points, and the last two represent decimals of a percent. The field will contain the applicable value for the particular presort test scenario that you are processing. The advertising percentage is shown in the Parameter Box for that specific test file.

FIELD 30 - CONTAINER COMPRESSION FACTOR -The Container Compression Factor field contains a compression factor that may be used to override the computed number of pieces per container. If you use a compression factor of 1.07, then you will be permitted to “overfill” a container’s volume up to 7 percent over the uncompressed volume. The lowest compression factor allowed is 1.00 (no compression) and the highest is 1.10 (10 percent compression).

COBOL Picture: 9v999

Possible Values: Numeric in the range of 1000 to 1100

Examples: 1000 1052 1077 1100

Comments: The first digit in this field is the integer of the compression factor, and the last three are the decimal portion of the value. The rules governing the minimum number of pieces that must be in a container do not apply to this field.

FIELD 32 - AMS II EPOCH USED TO PROCESS FILE -This field is used to show the epoch (or date) of the City State Product, Delivery Statistics Product, and Module L Labeling List files used to process this file, which allows us to grade your results using the same files used to process the test. In this manner, we can prevent false errors that could occur due to differences in files. The BMA Certification Department will provide a “Freeze” file posted with the test file sets at RIBBS with all applicable data to be used for the purpose of testing only. Only the date of the “Freeze” file data provided by BMA Certification will be accepted in this instance.

COBOL Picture: 9(04).

Possible Values: Numeric (0001–9912)

Examples: 9803 9912 0309

Comments: This field must be formatted YYMM, i.e., the first two digits must be the year and the second two must be the release month of the provided “Freeze” file that includes the City/State Product, Delivery Statistics Product, Module L Labeling List Files, and Module M CIN table. In the example above, 0309 represents September, 2003..

FIELD 34 - 5-DIGIT PACKAGE MINIMUM QTY – (Standard Mail Automation Flats Only) This field is used to reflect the minimum quantity used in the software for the creation of 5-digit and 5-digit scheme packages.

COBOL Picture: 99

Possible Values: Numeric (10 thru 17)

Examples: 12 15 16

Comments: This field is used for Standard Mail Automation Flats prepared under the provisions of DMM M820 or Standard Mail CoSacked Flats (with copackaging) under both M910 and M950. This is a mandatory field. Leave blank for mail prepared under any other DMM sortation references.

FIELD 36 - TRAY MINIMUM – This field reflects the tray volume percentage, expressed in decimals, used to establish the minimum volume of a “full” tray.

COBOL Picture: (9v999)

Possible Values: 0750 thru 1000

Examples: 0820 = 0.82 (82%); 0855 = 0.855 (85.5%); 1000 = 1.000 (100%)

Comments:

FIELD 40 - PRESORTED SEQUENCE NUMBER - This field consists of a simple sequence number that is applied to the field after it has been presorted. The BMA Certification Department will refer to these line numbers when discussing electronic grading results with developers. For the header record, this field should always reflect 0000000.

COBOL Picture: 9(07)

Possible Values: Numeric

Examples: 0027116 0001411

Comments: